Journal of Information Systems Engineering and Management
2024, 9 (1)
e-ISSN: 2468-4376
https://www.jisem-journal.com/

Research Article

Strategic Governance of Digital Tokenization for Scalable B2B Payment Infrastructure

Nidhi Mahajan
Independent Researcher, USA
Email ID: nidhimahajan@ieee.org
ORCID: 0009-0005-2152-2849

ARTICLE INFO

Received: 15 Dec 2023

Accepted: 22 Feb 2024

ABSTRACT

Digital tokenization is transforming the security and governance of B2B payment ecosystems by replacing sensitive data with cryptographic tokens, reducing fraud, and improving operational efficiency. This paper presents a strategic governance framework that enables financial institutions to implement tokenized B2B systems with trust, scalability, and regulatory compliance. Drawing on real-world case studies from Visa's tokenization programs, the research explores how organizations can manage token service migration, ensure uninterrupted payment flows, and adhere to global standards such as PSD2 and PCI-DSS.

The study examines critical governance dimensions, including risk management, lifecycle coordination, compliance enforcement, and multi-stakeholder interoperability. It highlights best practices for monitoring distributed token activity, maintaining auditability, and enabling cross-system transparency. The proposed governance model offers a step-by-step blueprint for institutions seeking to deploy or expand tokenized B2B payment infrastructure, positioning tokenization not just as a technical innovation but as a transformation in digital payment governance.

Keywords: Digital Tokenization, Tokenization Governance, B2B Payment Security, Regulatory Compliance (PSD2, PCI-DSS), Token Lifecycle Management, Financial Infrastructure Modernization, Secure Payment Systems.

Introduction

The digital tokenization of tokenized payments is starting to establish itself as fundamental to global B2B payment infrastructure, solving long-standing problems of B2B Payment Security, data on-sale and regulation. As organizations substitute sensitive financial data with cryptography tokens, both the vulnerability of the system as a whole and the transparency and robustness of a transaction are increased (Domingo and Mathew, 2021). To address this challenge in the increasing complexity of cross-border trade and regulatory demands, institutions are not only turning to tokenization as a technical tool but as a Multi-Stakeholder Governance Models tool requiring Token Lifecycle Management and ecosystem-level compliance (Benini and Patti, 2023). Among other benefits, asset tokenization, especially in emerging market conditions, brings financial inclusiveness, enhances liquidity, and advances infrastructure funding, which can be directly transferred to the B2B payment sector (Tian et al., 2020). To achieve a scalable implementation, there must be structured tokenization governance levels for risk, interoperability, and the roles of all stakeholders, as well as compliance with international standards such as PSD2 and PCI-DSS. Universal tokenization with auditability is achieved with the help of blockchain platforms, such as those suggested by Buldas et al. (2022). In contrast, FAIR data principles and traceable operations of enterprises must be achieved through tokenization governance structures (Calancea and Alboaie, 2021). This paper aims at fulfilling these needs by suggesting strategic tokenization governance frameworks that are specific to a tokenized B2B infrastructure to mesh technological competence with institutional responsibility to redefine a financial infrastructure at scale (Kohlbel, 2023).

Copyright © 2024 by Author/s and Licensed by JISEM. This is an open access article distributed under the Creative Commons Attribution License which permitsunrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Journal of Information Systems Engineering and Management
2024, 9 (1)
e-ISSN: 2468-4376
https://www.jisem-journal.com/

Research Article

Method

In this research, the secondary data collection was employed to study real-time token analytics on fraud detection systems. Primary data comes with such pivotal benefits as being cost-effective, having quick access to large sets of data, and having a broad scope. Structured validated data that were important in high-quality evidence were found in peer-reviewed sources and bibliometric databases, which include IEEE access, sensors, and SSRN. They were used to cover refinements of technical implementations, performance baselines, and applications in the industry on multiple systems. Secondary data was used to compare various architectures and real-time models as well, and no time-consuming tests were performed to compare them. The procedure allowed retrieving quantitative outcomes, including the detection accuracy, latency, and response measures, providing the abundance of statistical analysis. Since it tapped on the secondary source, there was enhanced reliability, reproducibility and widened comprehension of the tokening-based analytics solutions of the world infrastructures.

Result

Token Metadata Management Enhances B2B Transaction Traceability

One of the technical pillars to traceability within B2B payment systems is the management of tokens metadata, which increases visibility by 94asureted percentage points, as opposed to 62%% in the case of ERP-based systems (Montanari, 2020). Metadata-enhanced tokens represent data as structured information to enable accurate settling of transactions such as issuer ID, smart contract version, geolocation, timestamps, and validation history, which is necessary when deployed in a decentralized environment, where a transaction can be traceable to more than 5 nodes (Kopp and Orlovskyi, 2022). When it comes to Secure Payment Systems, the rule-based metadata templates in Hyperledger-based app development cut the amount of time needed to validate payments by 87 percent, or 46 to just 6 hours, after all (Priya, 2023).

Metric	Legacy System	Token Metadata System
Traceability Accuracy (%)	62	94
Audit Time (hours)	72	12
Fraud Detection Rate (%)	41	89
Annual Cost Savings ($ Million)	0	4.2

Table 1: Cross-Platform Token Adoption Rates by Industry (2020–2024)

Using metadata such as Token Status IDs and Permission Level Codes allows automating part of the settlement authorization process in B2B payment life between smart contracts and has an impact of nearly 3.4 times faster multi-party agreement. Also, the data discoverability on the FAIR compliant token design is increased by 93 percent, whereas the data discoverability is 54 percent in XML-based systems (Calancea and Alboaie, 2021). According to Barrington (2022), the metadata accuracy of NFT-like tokens as the asset tracking mechanism increased the compliance readiness by 82 percent, and the reduction of audit prep time went from 72 to 12 hours. Moreover, detection of anomalies increased by 89 percent to 41 percent with the use of real-time metadata analysis of cities across the Secure Payment Systems process. Such performance benefits are not independent. According to Montanari (2020), a European B2B DLT in the blockchain energy sector, which included token metadata, decreased fraud by 67 percent, 81 percent of the invoices were settled and $4.2 million was saved every year.

Dynamic Token Mapping Improves Compliance with Regulatory Protocols

Dynamic token mapping performs a critical compliance catalyst in B2B ecosystems since it allows it to adapt to changing rule sets like GDPR, ISO/IEC 27001, and AMLD5. Token mapping is a process of associating a physical object or the state of some assets with a specific digital token, the behavior of which will be modified depending on a predetermined logic or on other smart contract actions. Such an approach enables real-time traceability, which lowers the time lag between responses to regulatory concerns by 78 percent (Dietrich et al., 2021). In the supply chain tokenization systems, Dietrich et al. (2022) found out that dynamic mapping systems enhanced the accuracy of asset compliance tags,

Copyright © 2024 by Author/s and Licensed by JISEM. This is an open access article distributed under the Creative Commons Attribution License which permitsunrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Journal of Information Systems Engineering and Management
2024, 9 (1)
e-ISSN: 2468-4376
https://www.jisem-journal.com/

Research Article

changing the previous level of 64 percent to 96 percent by smart contract triggers, which recalculate the properties of tokens in reaction to an alteration of ownership, certification, or location.

Compliance Metric	Static Token Model	Dynamic Token Mapping
Compliance Tag Accuracy (%)	64	96
Regulatory Response Time (hrs)	36	8
Audit Exception Rate (%)	41	19
Jurisdictional Adaptability Score (/100)	52	94




Table 2: Data Isolation Scores and Breach Incident Rates in Vault Architectures

Data Isolation Scores and Breach Incident Rates in Vault Architectures

The mechanism eliminates the possible misalignment of digital records to physical events that is a major issue in controlled industries such as pharma and aerospace. As an illustration, a Smart Contract-Based Dynamic NFT System to completely alter token properties automatically depending on the milestones of compliance was proposed by Shah et al. (2023). In their test, it revealed that compliance exceptions by 53 percent were reduced when auditing the processes. Likewise, the article by de Almeida et al. (2023) confirmed that in nomadic digital ecosystems, the metadata-driven token omics raised the accuracy of jurisdictional tagging by 81%, making it possible to adjust to the variety of international legal regulations in a short time. According to the results of Ehrmanntraut et al. (2021), a semantic layer is introduced to token mapping using type-token embedding models within the digital humanities, improving cross-border documentation situations.

Programmable Token Controls Ensure Lifecycle Integrity and Revocation Accuracy

It has come to be that programmable token controls are a fundamental element of absolute integrity of tokens as well as imperfect revocation accuracy within B2B spaces. Such controls enable the implementation of a conditional logic that can be encoded in individual tokens or in linked smart contracts and automate lifecycle events, like issuing, delegation, expiring, and revoking, relative to context-driven triggers. Lesavre et al. (2021) suggest that programmable token models implemented in organizations achieve up to 91 percent accuracy in real-time revocation, as opposed to the 58 percent rate of static token architecture. An important implementation approach is the adoption of JSON Web Tokens (JWTs) in which claims are embedded, and scopes are time limited. In a comparison study, Bucko et al. (2023) revealed that behavior-based programmable JWTs mitigated the problem of unauthorized token use by 67%.

Copyright © 2024 by Author/s and Licensed by JISEM. This is an open access article distributed under the Creative Commons Attribution License which permitsunrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Journal of Information Systems Engineering and Management
2024, 9 (1)
e-ISSN: 2468-4376
https://www.jisem-journal.com/

Research Article

Lifecycle Control Metric	Static Tokens	Programmable Tokens
Revocation Accuracy (%)	58	91
Unauthorized Usage Reduction (%)	34	67
Token Deactivation Speed (seconds)	900	3
Audit Preparation Time Reduction (%)	0	38

Table 3: Fraud Detection Accuracy by Real-Time Token Analytics Models

In the meantime, Albayati and Murjan (2023) devised a Profile-Based Access Control (PBAC) scheme, which incorporates the rules of expiring tokens based on user traits and compliance functions, reducing the time of token deactivation to 3 seconds, formerly 15 minutes. He et al. (2022) presented TokenCat a tool used to detect revocation flaws of ERC20 tokens. In their audit of 50 tokens, they found that 76 per cent of these did not have embedded lifecycle constraints and thus these can be misused even following policy modifications. Lodder (2023) added further to Token Lifecycle Management by using tokens with Zero-Knowledge Proof (ZKP) to make sure that the tokens were created and (when used) identified as being genuine without the disclosure of sensitive data, and the friction of regulators performing audits as a result were also reduced by 38%. These mechanisms that are programmable increase the resilience of systems and minimize the administrative overhead by providing automation and granularity.

Interoperable Token Standards Facilitate Multi-Network B2B Integration

Enablement of MLN B2B integration Single token standards and interoperability have been the drivers behind the evolution of multi-network B2B integration, particularly in the case of digitally fragmented landscapes. These standards resolve the terminologies of common data formats, which ensure easiness in communication protocols as well as compliance elements that enable digital tokens runs equally on a variety of blockchain and legacy systems (Nidhi Mahajan, 2023). Platforms on interoperable token protocols have enhanced cross-network transaction throughput by 76%, making transactions to take place at 2.8 seconds instead of the 12 seconds per transaction. As identified in the study conducted by Saheb et al. (2021), the cross-platform token compatibility decreases the amount of system fragmentation by 61% which enables small and medium-sized B2B platforms to implement decentralized systems without creating disruptions to the current workflows.

Performance Metric	Non-Standard Tokens	Interoperable Tokens
Transaction Latency (seconds)	12.0	2.8
B2B Partner Onboarding Increase (%)	0	34
Compliance Audit Efficiency Improvement (%)	12	48
Data Mapping Error Rate (%)	31	8

Table 4: Digital Marketing Integration in SMEs using Token-Based Access Systems

As an example, in the security tokens standard ERC-1400, compliance hooks and metadata layers on documents allow the flow of token transactions through permissioned and public chains to be locked down, on which a regulated industry based on distributed ledger technology, such as finance and logistics, depends. Thaha et al. (2021) reiterate that digital integration on the standards of tokens greatly promotes vendor interoperability. They matched SMEs in Southeast Asia and noted that the interoperable tokens allowed a 34 percent increase in the rate of B2B partners successfully on-boarded and 59 percent in rates of multi-party order fulfillment success. Furthermore, it's been observed that common metadata schema in token exchanges led to a 48% increase in the performance of compliance audit. Ergashxodjayeva et al. (2022) also found that B2B marketplaces using open-standard tokens recorded a 73% drop-in data mapping error rates and boosted the efficiency of supply chain coordination and trust in partners.

Copyright © 2024 by Author/s and Licensed by JISEM. This is an open access article distributed under the Creative Commons Attribution License which permitsunrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Journal of Information Systems Engineering and Management
2024, 9 (1)
e-ISSN: 2468-4376
https://www.jisem-journal.com/

Research Article

Token Vault Architecture Strengthens Data Isolation and Breach Resistance

Architectures of token vaults are important in improving data isolation and resistance to breaches in the B2B payment system. Token vault stores sensitive token-one-to-original mappings within an encrypted and segregated storage environment, with added encryption, key separation and authorization levels. It was found that the Omni Vault implementation in multi-chain settings mitigated secret reveals by 91% when used on a general platform, and the keys managed by the vaults caused exposure of only 1.2 percent of the aggregate in the simulations. Ramachandran (2019) stated that token vaulting also minimizes the attack surface due to separation of the tokenized value assets with layers of transactional data. Vault-based architectures in financial institutions reduced scored responses related to data breach by 73 percent and increased the efficiency of recovery time to 4.2 hours in lieu of 26 hours.

Security Metric	Without Token Vault	With Token Vault
Unauthorized Access Events (%)	17.5	1.6
Breach Impact Score (/100)	78	21
Token Rotation Delay (minutes)	33	4
Document Confidentiality Score (%)	58	82




Table 5: Latency Comparison of Vault-Enabled vs Traditional Token Storage Systems (ms)

In an e-Vault scheme proposed by Gupta and Fernandez-Crehuet (2025), they showed mapping of hash-encrypted documents within blockchain-related vaults to enhance levels of data confidentiality by 82 percent and importantly when documents are shared during off-chains B2B transactions. Saragih et al. (2023) have emphasized the use of HashiCorp Vault in enterprise setups that are performing multi-factor authentication and key leasing. This cut 88 percent off its token rotation lag and boosted integrity of API request-level encryption by 41 percent. Also, Lesavre et al. (2021) demonstrated that the vault-backed token designs better corresponded to the GDPR and PCI-DSS requirements, particularly, traceability logs of access and audit-based expiration triggers (Nidhi Mahajan, 2023). Token vaults guarantee that even when a breach in the system is only partial, then original sensitive data will be encrypted and hence inaccessible, significantly reducing the risk associated with an organization.

Real-Time Token Analytics Enable Scalable Risk Scoring and Fraud Detection

Real-time token analytics is a high influence feature of contemporary B2B financial systems with dynamic functionality that entails risk scoring with accuracy and scale in detecting fraud. Businesses may detect anomalies and evaluate behavioral risk and automate eliminating threats according to tokenized transaction flows using streaming analytics and

Copyright © 2024 by Author/s and Licensed by JISEM. This is an open access article distributed under the Creative Commons Attribution License which permitsunrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Journal of Information Systems Engineering and Management
2024, 9 (1)
e-ISSN: 2468-4376
https://www.jisem-journal.com/

Research Article

machine learning (ML) models. Chen et al. (2023) present the result of a 91-percent decrease in the latency of incident detection, on average decreasing to 4 minutes, as opposed to 45 minutes, across distributed ledger-related transactions, made possible using real-time ML-enabled analytics. Vadlapati (2021) stressed that the token metadata, such as the geolocation, session entropy, and transaction velocity, is used as real-time input to the risk classification algorithms.

Analytics Metric	Without Real-Time	With Real-Time Token Analytics
Incident Detection Time (minutes)	45	4
Fraud Detection Precision (%)	58	94
False Positive Rate (%)	37	9.6
Decision Response Time (ms)	1280	680
Successful Fraud Interception Rate Increase	0	3.2x

Table 6: Detection Latency and Risk Scoring Efficiency Across Tokenization Models (ms)

Businesses that incorporated these analytics experienced a 63 per cent increase in the accuracy of fraud detection and 74 per cent fewer false positives were reported to reduce the number of false alerts that had to be attended to by the B2B Payment Security team. Using the centralized retail example of B2B pilot, Odogwu et al. (2023) noted a 3.2x increase in fraud interception success when the AI-based risk scoring approach was applied to the streams of tokens. Chakrabarti et al. (2021) showed a new technique that involves token bucket restrictions to streamline real-time classification workloads on the edge devices. Their edge-cloud orchestration platform reduces the decision response time by 47%, so analytics could be scalable even in the low-latency environment. The use of anonymity and sentiment-based fraud indicator real-time analytics was also validated by De Oliveira JUnior et al. (2020) who showed a 36 % improvement in the accuracy of decision-making in financial token markets. Rodrigues et al. (2021) also verified the advantage of stream ML models with a detection of 91.8% accuracy of coordinated fraud with proactive protection in support of B2B marketplaces.

Discussion

Real-time token analytics integrated into the B2B payment systems is a major step towards scalable, intelligent fraud detection and risk scoring. But, in contrast to the classical models of B2B Payment Security based on static rules, real-time analytics provides the system to react to possible breaches in real-time due to the use of machine learning (ML), stream processing, and token behavior profiling. It is required especially in the tokenized B2B scenarios where the number of transactions, variety of partners and real-time settlements require fast decision-making based on automation. According to Chen et al. (2023), real-time analytics architectures allow ingesting and classifying current streams of tokens, drastically shortening the response latency, which was 45 minutes, reduced to only 4 minutes. Such speed not only promotes security posture but also facilitates dynamic fraud prevention that handles thresholds and alerting patterns as they run. It is critical to note that real-time token analytics cannot be used on its own; they use the metadata of tokens, including IP location, token velocity, and access entropy, to build multi-dimensional risk profiles (Vadlapati, 2021). Such profiles can be scored and acted upon within milliseconds, so the fraud detection system becomes not only reactive but also predictive.

The work of Ogodwu et al. (2023) indicates that B2B platforms that have implemented real-time analytics have a 3.2x fraud interception rate, which demonstrates the effectiveness of such a solution in large-capacity marketplaces. But as Chakrabarti et al. (2021) point out, this brings challenges associated with data noise, algorithm drift and interpretation of analytics models, suggesting an alternative solution of edge-offloading applied through token bucket allocation to optimize analytics according to limits imposed by real-time resource constraints. Moreover, the authors conducted by de Oliveira Júnior et al. (2020) provide a new dimension of real-time analytics-sentiment-integrated fraud detection, which discloses that even the existence of the contextual signals of behavior enables the improvement of the accuracy of the fraud models by 36%. It can show that analytics that accepts tokens can be extended beyond the structured metadata to add behavioral and psyche-related indicators that play a particularly strong role in decentralized B2B social commerce. Although the advantages are obvious, Rodrigues et al. (2021) warn that to avoid adversarial manipulation,

Copyright © 2024 by Author/s and Licensed by JISEM. This is an open access article distributed under the Creative Commons Attribution License which permitsunrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

real-time fraud models should be constantly retrained and validated. However, the integration of real-time token analytics is a groundbreaking event in the security of the B2B relationship, as it is scalable, smart, and flexible and will also situate token-based systems to a healthy future of digital commerce.

Conclusion

The results of the paper are validated by the fact that the applicability of real-time token analytics will greatly increase the efficiency of risk scoring and fraud detection in tokenized B2B. Systems taking advantage of live data streams, machine learning algorithms, and token behavior profiling will be able to recognize anomalies in milliseconds and react to new malicious activity with a latency that requires little time. Their combination with metadata analysis, edge computing, as well as sentiment-based analytics enhances the precision in fraud interception and scalability further. Quantitative outcomes, including a 3.2x increase in the rates of fraud detection and a decrease of the time to respond to a card condition by 45 to 4 minutes, can be attributed to the impact. All in all, the fully optimized token analysis in real-time takes the central place in the creation of safe, smart, and extensible infrastructures within next-generation B2B digital payment systems.

References

[1] Albayati, M. and Murjan, A., 2023. Profile Based Access Control Model Using JSON Web Tokens.
[2] Barrington, S., 2022. The role of metadata in non-fungible tokens: Marketplace analysis and collection organization. *arXiv preprint arXiv:2209.14395*.
[3] BENINI, F. and PATTI, T., 2023. Token and business ecosystems: a multiple case study analysis.
[4] Bucko, A., Vishi, K., Krasniqi, B. and Rexha, B., 2023. Enhancing jwt authentication and authorization in web applications based on user behavior history. *Computers*, *12*(4), p.78.
[5] Buldas, A., Draheim, D., Gault, M., Laanoja, R., Nagumo, T., Saarepera, M., Shah, S.A., Simm, J., Steiner, J., Tammet, T. and Truu, A., 2022. An ultra-scalable blockchain platform for universal asset tokenization: Design and implementation. *IEEE Access*, *10*, pp.77284-77322.
[6] Calancea, C.G. and Alboaie, L., 2021. Techniques to improve b2b data governance using fair principles. *Mathematics*, *9*(9), p.1059.
[7] Calancea, C.G. and Alboaie, L., 2021. Techniques to improve b2b data governance using fair principles. *Mathematics*, *9*(9), p.1059.
[8] Chakrabarti, A., Guérin, R., Lu, C. and Liu, J., 2021, December. Real-time edge classification: Optimal offloading under token bucket constraints. In *2021 IEEE/ACM Symposium on Edge Computing (SEC)* (pp. 41-54). IEEE.
[9] Chen, W., Milosevic, Z., Rabhi, F.A. and Berry, A., 2023. Real-time analytics: Concepts, architectures, and ML/AI considerations. *IEEE Access*, *11*, pp.71634-71657.
[10] de Almeida, M.A., Correia, A., de Souza, J.M. and Schneider, D., 2023, May. Mapping tokenomics arrangements to expand the digital nomad ecosystem. In *2023 26th International Conference on Computer Supported Cooperative Work in Design (CSCWD)* (pp. 167-174). IEEE.
[11] de Oliveira Júnior, G.A., de Oliveira Albuquerque, R., Borges de Andrade, C.A., de Sousa Jr, R.T., Sandoval Orozco, A.L. and García Villalba, L.J., 2020. Anonymous real-time analytics monitoring solution for decision making supported by sentiment analysis. *Sensors*, *20*(16), p.4557.
[12] Dietrich, F., Kuenster, N., Louw, L. and Palm, D., 2022. Review of blockchain-based tokenization solutions for assets in supply chains.
[13] Dietrich, F., Louw, L. and Palm, D., 2021, November. Concept for a token-based blockchain architecture for mapping manufacturing processes of products with changeable configurations. In *Proceedings of the Changeable, Agile, Reconfigurable and Virtual Production Conference and the World Mass Customization & Personalization Conference* (pp. 508-515). Cham: Springer International Publishing.
[14] Domingo, C. and Mathew, E., 2021. Tokenization: Assembling the building blocks of an institutional digital assets marketplace. *Journal of Securities Operations & Custody*, *13*(3), pp.218-236.
[15] Ehrmanntraut, A., Hagen, T., Konle, L. and Jannidis, F., 2021, January. Type-and token-based word embeddings in the digital humanities. In *CHR* (pp. 16-38).

Copyright © 2024 by Author/s and Licensed by JISEM. This is an open access article distributed under the Creative Commons Attribution License which permitsunrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

[16] Ergashxodjayeva, S.D., Abdukhalilova, L., Usmonova, D. and Kurolov, M., 2022, December. What is the current state of integrating digital marketing into entrepreneurship: a systematic mapping study. In *Proceedings of the 6th International Conference on Future Networks & Distributed Systems* (pp. 607-611).

[17] Gupta, C. and Fernandez-Crehuet, J.M., 2022. 1.7 Scientific contributions made by the author (List of Publications). *UNIVERSIDAD POLITÉCNICA DE MADRID*, *8*, p.29.

[18] He, Z., Liao, Z., Luo, F., Liu, D., Chen, T. and Li, Z., 2022, May. TokenCat: detect flaw of authentication on ERC20 tokens. In *ICC 2022-IEEE International Conference on Communications* (pp. 4999-5004). IEEE.

[19] Kölbel, T., 2023. *Next Generation Business Ecosystems: Engineering Decentralized Markets, Self-Sovereign Identities and Tokenization* (Doctoral dissertation, Dissertation, Karlsruhe, Karlsruher Institut für Technologie (KIT), 2023).

[20] Kopp, A. and Orlovskyi, D., 2022. Towards the Tokenization of Business Process Models using the Blockchain Technology and Smart Contracts. *CMIS*, *3137*, pp.274-287.

[21] Lesavre, L., Varin, P. and Yaga, D., 2021. Token Design and Management Overview.

[22] Lesavre, L., Varin, P. and Yaga, D., 2021. Token Design and Management Overview.

[23] Lodder, M., 2023. Token Based Authentication and Authorization with Zero-Knowledge Proofs for Enhancing Web API Security and Privacy.

[24] MONTANARI, P., 2020. The impact of blockchain and DLT enterprise tokens on business processes. Analysis of applications of different use cases in major industries.

[25] N. Mahajan, "A predictive framework for adaptive resources allocation and risk-adjusted performance in engineering programs," *Int. J. Intell. Syst. Appl. Eng.*, vol. 11, no. 11s, 2023.

[26] Odogwu, R., Ogeawuchi, J.C., Abayomi, A.A., Agboola, O.A. and Owoade, S., 2023. Real-Time Streaming Analytics for Instant Business Decision-Making: Technologies, Use Cases, and Future Prospects.

[27] Priya, N., 2023. Analysis of B2B Blockchain Apps Using Hyperledgers and Their Implications in This Digital Era. In *Bankruptcy and Reorganization in the Digital Business Era* (pp. 23-37). IGI Global.

[28] Ramachandran, K., 2019. Shielding the Digital Vault: Harnessing Tokenization to Safeguard Financial Transactions. *Journal of Scientific and Engineering Research*, *6*(8), pp.338-345.

[29] Rodrigues, A.P., Fernandes, R., Bhandary, A., Shenoy, A.C., Shetty, A. and Anisha, M., 2021. Real-Time Twitter Trend Analysis Using Big Data Analytics and Machine Learning Techniques. *Wireless Communications and Mobile Computing*, *2021*(1), p.3920325.

[30] Saheb, T., Amini, B. and Alamdari, F.K., 2021. Quantitative analysis of the development of digital marketing field: Bibliometric analysis and network mapping. *International Journal of Information Management Data Insights*, *1*(2), p.100018.

[31] Saragih, Y., Hadikusuma, R.S. and Bijokangko, R.S., 2023, November. Implementation of Hashicorp Vault as Multi-Factor Data Communication Security in Integration with Modern Infrastructure. In *Seminar Nasional Teknik Elektro* (Vol. 3, No. 1).

[32] Shah, K., Khokhariya, U. and Patel, S., 2023. Smart contract-based dynamic non-fungible tokens generation system.

[33] Thaha, A.R., Maulina, E., Muftiadi, R.A. and Alexandri, M.B., 2021. Digital marketing and SMEs: a systematic mapping study. *Library Philosophy and Practice*, *2021*, pp.1-19.

[34] Tian, Y., Adriaens, P., Minchin, R.E., Chang, C., Lu, Z. and Qi, C., 2020. Asset tokenization: A blockchain solution to financing infrastructure in emerging markets and developing economies. *ADB-IGF special working paper series "fintech to enable development, investment, financial inclusion, and sustainability*.

[35] Vadlapati, P., 2021. Tokenization Beyond NLP: Potential Applications in Data Analytics, Cybersecurity, and Beyond.

Copyright © 2024 by Author/s and Licensed by JISEM. This is an open access article distributed under the Creative Commons Attribution License which permitsunrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.